JOHN QUAIF
RPII AI113
PIPA 246
Qualified RPII / PIPA
Tester for Inflatables
and Games
JOHNQUAIF@YAHOO.COM
07966 375 571



PAUL QUAIF
RPII AI112
PIPA 264
Qualified RPII / PIPA
Tester for Inflatables
and Games
PAULQUAIF58@GMAIL.COM
07966 375 570

| Company Name | Funday | Address | coppinger House |
|--------------|--------------------|---------|-----------------|
| Telephone No | 0870011 3993 | | west End RD |
| Email | Tony @ funday LTD. | com | C050QH |

| Serial No | FDE00114 | Date of Inspection | 29-7-2025 |
|---------------------|------------|---------------------------|--------------|
| Name of Inspector | John Quaif | Expiry Date of Inspection | 28.7-2026 |
| Inflatable Type | game | Size (L x W x H) (m) | 3-543-540-75 |
| Theme | Ball PIT | Manufacturer | Jays |
| Place of Inspection | CM131RZ | Date of Manufacture | 2016 |

| Structure | | |
|----------------------------------|--------------|----|
| Seams and webbing | \checkmark | C |
| Bed panels and steps firm | lA, | Ty |
| Walls and towers firm | V | N |
| Grounding N | lA. | A |
| Sharp angles | V | |
| Pressure (KPA) \ . 2 8 | \checkmark | Zi |
| Entrapment | V. | R |
| Stability | V, | W |
| Deflation/Evacuation time | V. | |
| Air loss | V. | SI |
| Markings | V. | Н |
| Identification | . V | Н |
| Artwork (no significant peeling) | JA | Pl |
| Bed height (m) № | 1A | Rı |
| Open side fall off height (m) // | A | CI |
| Step and ramp size (m) | A | SI |
| Internal wall height (m) | 75 | |
| Stitching | V | E |
| Trough depth N | IA | D |
| Fabric (fire retardant) | V | Pr |
| Fabric (strength) | V | |
| Thread (non-rotting) | V. | P |

| Anchorage | | | |
|---|-----|--------------|--|
| Condition of anchor points | | V | |
| Type of anchor point $\ensuremath{\mbox{W}} \ensuremath{\mbox{ℓ}} \ensuremath{\mbox{b}}$ | Sło | e L | |
| Number of anchors | 8 | \checkmark | |
| Anchor accessories | | V | |
| Structural Materials | | | |
| Zips | N | lA | |
| Ropes | N | (A | |
| Windows/netting | N | 19 | |
| Slides | | | |
| Slide platform height (m) | | | |
| Height of walls (1st m) | | | |
| Height of walls (remainder) | | | |
| Platform wall height (m) | | | |
| Run out (m) | | | |
| Clamber net/foam/ladder | | | |
| Slide sheet | | | |
| Totally Enclosed Structure | | | |
| Exits and markings | | | |
| Deflation of user area | | | |
| Pressure or user area | | | |
| INSPECTION RESULTS | | | |
| PASS (P) FAIL (F) | | | |

| Blower | | |
|--------------------------------------|-------|-----|
| Suitability | | V |
| Inlet and outlet mesh | | V |
| Cable and plug | | V |
| Impeller | | V |
| Return Flap | | V |
| PAT test | N | 14 |
| Blower type/electric | | V |
| Motor cover/casing | | V |
| Inhouse tested (PAT) | | V |
| Blower size (Hp) | j. | 3 |
| Blower tube length (m) | 1. | 25 |
| Number of blowers (this unit |) | J |
| Petrol blowers only | | 1 |
| Play area (L x W) (m) | 2.5 | 342 |
| Number of users and user h | neigl | ht |
| Maximum user height (m) | 1. | 8 |
| Maximum users at 1.0m | | 6 |
| Maximum users at 1.2m | | 6 |
| Maximum users at 1.5m | | 4 |
| Maximum users at 1.8m | | 4 |
| Customise max user height | | × |
| Maximum users at customise height | d | Χ |

| Notes | / Diele / | Assessment: |
|--------|-----------|-------------|
| LAnnes | / DISK/ | vaacaament. |

Signature of tester
Paul Quaif

John Quaif

COMMENTS:

This unit must always be used with 2 inch thick, high density crash mats on all entrances and exits at a minimum of 1.2m from the unit. DO NOT operate in wind speeds in excess of 24mph/38kph. This unit must always be supervised by a competent adult who is capable of exercising authority over the users. I certify that the above equipment has been inspected to standards as indicated and complies with the current health and safety notes on inflatable play, BSEN14960 has been adopted where appropriate on the above inspection report. If the above equipment is an inflatable used for part of a game, I deem this item fit for purpose. All anchor points must be used to secure the unit to the ground at all times.